

Cottage 190

technical data sheet

EN

Product specifications

Three-layer parquet	EN 13489	DoP PQ2025-15
Size	Plank	190 x 650-1900 x 14(3) mm
	Box	6 planks / 2.166 m ² / 16.5 kg
	Full planks	5
	Pallet	55 boxes / 119.13 m ² / 950 kg
Density	EN 323	± 530 kg/m ³
Installation		Drop Lock
Top layer		European oak (Quercus robur/ Quercus petraea)
Core		Poplar (Populus euramericana)
Counter balance		Poplar (Populus euramericana)
Grading		Rustic B
Texture		Slightly Brushed
Bevel		4V
Gloss level at 60°		5-7 %
Finishing		Matt Lacquer
Warranty conditions	Residential warranty	20 years
	Commercial warranty	upon request
Use class	EN 13489	Class 23 Heavy domestic use



Empty fields indicate variations between the colors within the collection. Please refer to the table below for specific data per color.

Variables within the collection

Article Code	Colour	Finish	Texture
COT 190-110	110 - Natural	UV Matte Lacquer	Slightly Brushed
COT 190-1817	1817 - Invisible	UV Matte Lacquer	Slightly Brushed
COT 190-956	956 - Mont Blanc	UV Matte Lacquer	Slightly Brushed
COT 190-957	957 - Paris Brown	UV Matte Lacquer	Slightly Brushed

Cottage 190

technical data sheet

EN

Product properties

property		test method	min. req.	result
Indoor air certifications/labels				A
Reaction to fire		EN 13501-1		Dfl-s1
Slip resistance		CEN/TS 15676		PTV 100 (dry)/ PTV 43 (wet)
Pentachlorophenol content		CEN/TR 14823	< 5 ppm	Does not contain pentachlorophenol
Underfloor heating		EN 12664	R < 0,15 m²K/W	R= 0.12 m²K/W OK (max +28°C) + glued
Biological durability				Class 1
Formaldehyde emission				
CE-Marking - EN 14342		EN 717-1	≤ 0.124 mg/m³	E1
REACH Annex XVII Entry 77		EN 717-1	< 0.062 mg/m³	0.018 mg/m³



The mark of
responsible forestry
FSC® C151862


Cottage 190

Rustic B

EN

Grading description

Texture	Slightly Brushed
Grading	Rustic
Colour variation	High
Sound knots	Allowed unlimited
Unsound knots	Allowed, Ø < 40 mm
Sapwood	< 1/3 of the width
End crack	Allowed
Surface crack	Allowed
Insect hole	Not allowed
Decay	Not allowed
Blue/yellow stain	Allowed
Sound heart	Allowed
Machine marks	Not allowed



This picture is an indication of the grading as described.

Grading description – 2 criteria

Knots

Scale from (rigid) parquet without knots up to planks with more and larger knots



Colour variation

From little colour variation/sapwood to bigger colour variation/sapwood



Cleaning and maintenance instructions: www.lamett.eu